Assessment Overview

Assessment Area

ICF Domain: Quality of Life Subscales (domains): Being Belonging Becoming

You Will Need

Length: 60+ minutes, 102 items Scoring: Items scored 1-5. 9 subscores are calculated from a combination of different items.

Summary

The Quality of Life Profile for Adults with Physical Disabilities (QOLP-PD) is designed to offer a new approach to measuring quality of life (QOL) that is grounded in, and congruent with, the perspective and experience of people with disabilities. It can be self-reported or administered as an interview. The QOLP-PD is based on the Centre for Health Promotion (CHP) QOL model that views QOL as arising out of the ongoing relationship between the person and his/her environment.

Availability

Please contact the author Rebecca Renwick at <u>r.renwick@utoronto.ca</u> Renwick, R., Nourhaghighi, N., Manns, P. J., & Rudman, D. L. (2003). Quality of life for people with physical disabilities: a new instrument. Int J Rehabil Res, 26(4), 279-287.

Assessment Interpretability

Minimal Clinically Important Difference	Statistical Error	Typical Values
Not established in SCI	Not established in SCI	Mean (SD) scores: Physical Being: 2.05 (2.79) Psychological Being: 3.71 (2.92) Spiritual Being: 2.65 (2.29) Physical Belonging: 3.51 (2.73) Social Belonging: 2.75 (2.35) Community Belonging: 2.24 (2.30) Practical Becoming: 2.21 (3.04) Leisure Becoming: 2.05 (2.50) Growth Becoming: 2.34 (2.81) (Renwick et al. 2003, N=40, 30 males, complete paraplegia and tetraplegia; mean age 35.85 (9.29) years, time since injury = 2-30 years)

Measurement Properties

Validity – High	Reliability – High
High correlations between the adjusted QOLP-PD	<u>High</u> Internal Consistency:
total score and QOLP-PD subscales:	Total Score α = 0.98
Correlations = 0.63-0.88	Being α = 0.95
(Renwick et al. 2003, N=40, 30 males, complete paraplegia and tetraplegia; mean age 35.85 (9.29) years, time since injury = 2-30 years)	Belonging $\alpha = 0.95$ Becoming $\alpha = 0.97$
Number of studies reporting validity data: 1	(Renwick et al. 2003, N=40, 30 males, complete paraplegia and tetraplegia; mean age 35.85 (9.29) years, time since injury = 2-30 years)
	Number of studies reporting reliability data: 1

Responsiveness

Floor/Ceiling Effect: Not established in SCI Effect Size: Not established in SCI Number of studies reporting responsiveness data: 0